

2023年度省水利厅直属事业单位招聘考试最终成绩及排名情况（第一批）

准考证号	岗位代码	职测成绩	综合成绩	笔试成绩	笔试加权	面试成绩	面试加权	总成绩
3134302900119	3000397	91	107	198	33.00	81.80	40.90	73.90
3134302900128	3000397	95	108	203	33.83	74.00	37.00	70.83
3134302900116	3000397	90.5	95	185.5	30.92	79.20	39.60	70.52
3134302900109	3000397	84	102	186	31.00	73.20	36.60	67.60
3134302900122	3000397	93	103	196	32.67	缺考		
3134302900129	3000397	106	87.5	193.5	32.25	缺考		
3134302900310	3000398	103	90.5	193.5	32.25	76.30	38.15	70.40
3134302900307	3000398	94.5	89	183.5	30.58	73.40	36.70	67.28
3134302900224	3000398	97	95.5	192.5	32.08	缺考		
3134302900329	3000399	93	91.5	184.5	30.75	80.00	40.00	70.75
3134302900318	3000399	93	88.5	181.5	30.25	77.00	38.50	68.75
3134302900406	3000399	90	86.5	176.5	29.42	76.60	38.30	67.72
3134302900316	3000399	83.5	81	164.5	27.42	79.60	39.80	67.22
3134302900327	3000399	85.5	82	167.5	27.92	76.60	38.30	66.22
3134302900330	3000399	90.5	79.5	170	28.33	缺考		
3134302900412	3000400	77	102.5	179.5	29.92	78.60	39.30	69.22
3134302900409	3000400	73.5	84.5	158	26.33	75.00	37.50	63.83
3134302900411	3000400	87	86	173	28.83	缺考		
3134302900427	3000401	94	110	204	34.00	75.60	37.80	71.80
3134302900506	3000401	88.5	93	181.5	30.25	78.60	39.30	69.55
3134302900516	3000401	93	90	183	30.50	76.00	38.00	68.50
3134302900422	3000401	93.5	94.5	188	31.33	74.20	37.10	68.43
3134302900511	3000401	85	97.5	182.5	30.42	75.60	37.80	68.22
3134302900510	3000401	95	87.5	182.5	30.42	74.50	37.25	67.67
3134302900429	3000401	64	97.5	161.5	26.92	74.00	37.00	63.92
3134302900501	3000401	76.5	85	161.5	26.92	50.80	25.40	52.32
3134302900508	3000401	92	97.5	189.5	31.58	缺考		
3134302900504	3000401	78.5	87.5	166	27.67	缺考		
3134302900611	3000402	103	102.5	205.5	34.25	79.20	39.60	73.85
3134302900528	3000402	78	90	168	28.00	81.20	40.60	68.60
3134302900519	3000402	88	89.5	177.5	29.58	76.80	38.40	67.98
3134302900529	3000402	78	87.5	165.5	27.58	74.30	37.15	64.73
3134302900610	3000402	82.5	87	169.5	28.25	69.20	34.60	62.85
3134302900615	3000402	75.5	87.5	163	27.17	缺考		
3134302900625	3000403	106.5	93	199.5	33.25	80.20	40.10	73.35
3134302900704	3000403	83.5	102	185.5	30.92	78.80	39.40	70.32
3134302900623	3000403	95	74.5	169.5	28.25	72.20	36.10	64.35
3134302900626	3000403	74	95.5	169.5	28.25	缺考		
3134302900808	3000404	95	93.5	188.5	31.42	73.00	36.50	67.92
3134302900823	3000404	89	96	185	30.83	73.10	36.55	67.38
3134302900801	3000404	80	102	182	30.33	72.00	36.00	66.33
3134302900902	3000405	86	82.5	168.5	28.08	78.00	39.00	67.08
3134302900916	3000405	91	79	170	28.33	75.80	37.90	66.23
3134302900907	3000405	85	86	171	28.50	73.80	36.90	65.40
3134302900908	3000405	82.5	73.5	156	26.00	78.00	39.00	65.00
3134302900909	3000405	67.5	85	152.5	25.42	71.20	35.60	61.02
3134302900911	3000405	63	97.5	160.5	26.75	缺考		
3134302901015	3000406	106	98.5	204.5	34.08	76.20	38.10	72.18
3134302900926	3000406	112.5	93	205.5	34.25	74.60	37.30	71.55
3134302901010	3000406	96.5	87.5	184	30.67	81.10	40.55	71.22
3134302900927	3000406	84.5	91.5	176	29.33	78.00	39.00	68.33
3134302901018	3000406	94	88.5	182.5	30.42	74.30	37.15	67.57
3134302900928	3000406	79.5	91	170.5	28.42	78.20	39.10	67.52
3134302900925	3000406	80.5	99	179.5	29.92	74.40	37.20	67.12
3134302901011	3000406	89.5	91	180.5	30.08	72.40	36.20	66.28
3134302901016	3000406	89.5	81.5	171	28.50	缺考		
3134302901022	3000407	71	101.5	172.5	28.75	81.40	40.70	69.45
3134302901020	3000407	81	99	180	30.00	78.00	39.00	69.00
3134302901119	3000408	91.5	94.5	186	31.00	79.80	39.90	70.90

2023年度省水利厅直属事业单位招聘考试最终成绩及排名情况（第一批）

准考证号	岗位代码	职测成绩	综合成绩	笔试成绩	笔试加权	面试成绩	面试加权	总成绩
3134302901115	3000408	77	94	171	28.50	83.00	41.50	70.00
3134302901110	3000408	97.5	81	178.5	29.75	78.50	39.25	69.00
3134302901028	3000408	82.5	95.5	178	29.67	76.20	38.10	67.77
3134302901106	3000408	96.5	90	186.5	31.08	72.40	36.20	67.28
3134302901026	3000408	95	81.5	176.5	29.42	75.60	37.80	67.22
3134302901105	3000408	78	97	175	29.17	76.00	38.00	67.17
3134302901118	3000408	85	77	162	27.00	77.90	38.95	65.95
3134302901027	3000408	78.5	79	157.5	26.25	69.00	34.50	60.75
3134302901127	3000409	98.5	99	197.5	32.92	77.10	38.55	71.47
3134302901123	3000409	91	92.5	183.5	30.58	75.20	37.60	68.18
3134302901126	3000409	80	78.5	158.5	26.42	缺考		
3134302901301	3000410	104	90	194	32.33	80.80	40.40	72.73
3134302901227	3000410	99	100.5	199.5	33.25	78.20	39.10	72.35
3134302901311	3000410	103	95	198	33.00	77.60	38.80	71.80
3134302901214	3000410	85	105	190	31.67	76.40	38.20	69.87
3134302901205	3000410	99	87	186	31.00	74.80	37.40	68.40
3134302901217	3000410	90.5	91.5	182	30.33	75.80	37.90	68.23
3134302901302	3000410	85.5	102	187.5	31.25	69.40	34.70	65.95
3134302901312	3000410	90	86.5	176.5	29.42	67.00	33.50	62.92
3134302901212	3000410	89.5	92.5	182	30.33	缺考		
3134302901429	3000412	89	98.5	187.5	31.25	81.20	40.60	71.85
3134302901329	3000412	113	86.5	199.5	33.25	74.60	37.30	70.55
3134302901427	3000412	88	95	183	30.50	80.00	40.00	70.50
3134302901414	3000412	100	89.5	189.5	31.58	76.10	38.05	69.63
3134302901502	3000412	102	84.5	186.5	31.08	76.60	38.30	69.38
3134302901323	3000412	93	86	179	29.83	76.80	38.40	68.23
3134302901328	3000412	71	106	177	29.50	77.10	38.55	68.05
3134302901402	3000412	72.5	96	168.5	28.08	79.90	39.95	68.03
3134302901401	3000412	79.5	87	166.5	27.75	79.20	39.60	67.35
3134302901426	3000412	87	77	164	27.33	76.80	38.40	65.73
3134302901424	3000412	70	96.5	166.5	27.75	缺考		
3134302901407	3000412	80	95.5	175.5	29.25	缺考		
3134302901511	3000413	87.5	80	167.5	27.92	73.80	36.90	64.82
3134302901505	3000413	82	78.5	160.5	26.75	76.00	38.00	64.75
3134302901512	3000413	74.5	79.5	154	25.67	73.80	36.90	62.57
3134302901803	3000418	92	89.5	181.5	30.25	77.40	38.70	68.95
3134302901806	3000419	101	103	204	34.00	80.20	40.10	74.10
3134302901805	3000419	97	95.5	192.5	32.08	80.30	40.15	72.23
3134302901804	3000419	83	97.5	180.5	30.08	77.60	38.80	68.88
1134300907506	3000420	124.5	99	223.5	37.25	80.60	40.30	77.55
1134300907419	3000420	121.5	97.5	219	36.50	77.90	38.95	75.45
1134300907421	3000420	110	100.5	210.5	35.08	79.80	39.90	74.98
1134300907420	3000420	97.5	105	202.5	33.75	78.50	39.25	73.00
1134300907405	3000420	108.5	92	200.5	33.42	76.00	38.00	71.42
1134300907330	3000420	111	98.5	209.5	34.92	68.80	34.40	69.32
1134300907516	3000421	107.5	99.5	207	34.50	79.00	39.50	74.00
1134300907513	3000421	109.5	91.5	201	33.50	80.20	40.10	73.60
1134300907519	3000421	114	81.5	195.5	32.58	81.10	40.55	73.13
1134300907525	3000422	116.5	90	206.5	34.42	75.10	37.55	71.97
1134300907527	3000422	119	89.5	208.5	34.75	74.40	37.20	71.95
1134300907528	3000422	126.5	83	209.5	34.92	缺考		
1134300907710	3000423	102	96	198	33.00	79.80	39.90	72.90
1134300907709	3000423	102	88.5	190.5	31.75	80.20	40.10	71.85
1134300907714	3000423	95	86.5	181.5	30.25	缺考		
1134300907811	3000424	114.5	111	225.5	37.58	82.00	41.00	78.58
1134300908001	3000424	110.5	98	208.5	34.75	82.40	41.20	75.95
1134300908108	3000424	120	98.5	218.5	36.42	75.40	37.70	74.12
1134300908202	3000425	95.5	118.5	214	35.67	81.20	40.60	76.27
1134300908210	3000425	107	104.5	211.5	35.25	78.60	39.30	74.55

2023年度省水利厅直属事业单位招聘考试最终成绩及排名情况（第一批）

准考证号	岗位代码	职测成绩	综合成绩	笔试成绩	笔试加权	面试成绩	面试加权	总成绩
1134300908308	3000425	100.5	108.5	209	34.83	78.80	39.40	74.23
1134300908421	3000426	101.5	90	191.5	31.92	81.00	40.50	72.42
1134300908417	3000426	95.5	94.5	190	31.67	76.80	38.40	70.07
1134300908415	3000426	107.5	89	196.5	32.75	缺考		
1134300908507	3000427	70	87.5	157.5	26.25	71.00	35.50	61.75
1134300908525	3000428	112	88	200	33.33	82.80	41.40	74.73
1134300908605	3000428	95.5	107.5	203	33.83	81.20	40.60	74.43
1134300908624	3000428	115	88.5	203.5	33.92	78.10	39.05	72.97
1134300908817	3000429	97	102.5	199.5	33.25	80.40	40.20	73.45
1134300908714	3000429	107.5	97	204.5	34.08	75.40	37.70	71.78
1134300908807	3000429	108.5	88.5	197	32.83	76.20	38.10	70.93
1134300908923	3000430	109.5	112	221.5	36.92	79.20	39.60	76.52
1134300908905	3000430	112.5	109.5	222	37.00	78.20	39.10	76.10
1134300908822	3000430	119	94	213	35.50	78.60	39.30	74.80
1134301400118	3000431	107.5	102	209.5	34.92	81.20	40.60	75.52
1134301400204	3000431	113.5	104	217.5	36.25	75.60	37.80	74.05
1134301400117	3000431	108.5	102	210.5	35.08	74.80	37.40	72.48
1134301400321	3000432	98	96.5	194.5	32.42	82.20	41.10	73.52
1134301400401	3000432	97	92	189	31.50	81.40	40.70	72.20
1134301400408	3000432	102	95	197	32.83	77.80	38.90	71.73
1134301400304	3000432	104.5	87.5	192	32.00	79.20	39.60	71.60
1134301400316	3000432	95.5	95.5	191	31.83	78.00	39.00	70.83
1134301400424	3000432	97	91.5	188.5	31.42	78.80	39.40	70.82
1134301400507	3000433	123	88	211	35.17	79.40	39.70	74.87
1134301400728	3000433	106	106.5	212.5	35.42	77.60	38.80	74.22
1134301400719	3000433	96	92.5	188.5	31.42	82.40	41.20	72.62
1134301400725	3000433	102	92	194	32.33	79.60	39.80	72.13
1134301400606	3000433	89.5	96.5	186	31.00	79.20	39.60	70.60
1134301400607	3000433	104	85.5	189.5	31.58	75.10	37.55	69.13
1134301400620	3000433	100.5	88.5	189	31.50	74.80	37.40	68.90
1134301400711	3000433	96.5	87.5	184	30.67	73.30	36.65	67.32
1134301400727	3000433	94	90.5	184.5	30.75	缺考		
1134301400729	3000434	117	99.5	216.5	36.08	82.00	41.00	77.08
1134301400808	3000434	107	88	195	32.50	74.80	37.40	69.90
1134301400801	3000434	84	92	176	29.33	77.20	38.60	67.93
1134301400809	3000434	91.5	84.5	176	29.33	70.80	35.40	64.73
1134301400929	3000435	108	111.5	219.5	36.58	75.70	37.85	74.43
1134301401116	3000435	120	95.5	215.5	35.92	76.80	38.40	74.32
1134301400914	3000435	116.5	99	215.5	35.92	74.60	37.30	73.22
1134301401223	3000436	98	95	193	32.17	83.40	41.70	73.87
1134301401212	3000436	95.5	102	197.5	32.92	77.60	38.80	71.72
1134301401220	3000436	86.5	100	186.5	31.08	77.30	38.65	69.73
1134301401202	3000436	91	97.5	188.5	31.42	76.20	38.10	69.52
1134301401301	3000436	95.5	90	185.5	30.92	75.60	37.80	68.72
1134301401208	3000436	82	96.5	178.5	29.75	75.30	37.65	67.40
1134301401314	3000437	111.5	103	214.5	35.75	79.00	39.50	75.25
1134301401324	3000437	106	93	199	33.17	78.40	39.20	72.37
1134301401322	3000437	103.5	94	197.5	32.92	缺考		
1134301401516	3000438	103	107	210	35.00	76.10	38.05	73.05
1134301401406	3000438	104	92.5	196.5	32.75	73.30	36.65	69.40
1134301401616	3000438	90	103.5	193.5	32.25	72.20	36.10	68.35
1134301402011	3000439	122.5	108.5	231	38.50	83.00	41.50	80.00
1134301401702	3000439	121	100.5	221.5	36.92	79.40	39.70	76.62
1134301402207	3000439	104	109.5	213.5	35.58	81.00	40.50	76.08
1134301402326	3000439	105	106	211	35.17	78.00	39.00	74.17
1134301402308	3000439	115.5	92	207.5	34.58	78.00	39.00	73.58
1134301402015	3000439	104.5	100	204.5	34.08	78.60	39.30	73.38
1134301401819	3000439	105.5	97.5	203	33.83	78.60	39.30	73.13
1134301402104	3000439	100	101	201	33.50	78.90	39.45	72.95

2023年度省水利厅直属事业单位招聘考试最终成绩及排名情况（第一批）

准考证号	岗位代码	职测成绩	综合成绩	笔试成绩	笔试加权	面试成绩	面试加权	总成绩
1134301402016	3000439	107.5	99.5	207	34.50	76.60	38.30	72.80
1134301401904	3000439	115	87	202	33.67	78.00	39.00	72.67
1134301402425	3000439	111.5	93	204.5	34.08	77.00	38.50	72.58
1134301402307	3000439	102.5	100	202.5	33.75	77.40	38.70	72.45
1134301402126	3000439	111.5	95.5	207	34.50	75.00	37.50	72.00
1134301401827	3000439	110.5	90.5	201	33.50	76.80	38.40	71.90
1134301402128	3000439	102	98.5	200.5	33.42	76.80	38.40	71.82
1134301402112	3000439	109.5	96.5	206	34.33	73.70	36.85	71.18
1134301401627	3000439	110.5	97.5	208	34.67	缺考		
1134301401703	3000439	113.5	90	203.5	33.92	缺考		
1134301402505	3000440	91	85	176	29.33	78.50	39.25	68.58
1134301402502	3000440	86	92	178	29.67	76.20	38.10	67.77
1134301402507	3000440	87.5	103	190.5	31.75	72.00	36.00	67.75
1134301402503	3000440	77	89	166	27.67	78.40	39.20	66.87
1134301402519	3000440	77.5	85	162.5	27.08	77.20	38.60	65.68
1134301402612	3000441	99.5	92.5	192	32.00	85.60	42.80	74.80
1134301402628	3000441	97.5	98	195.5	32.58	79.40	39.70	72.28
1134301402530	3000441	101	97.5	198.5	33.08	77.40	38.70	71.78
1134301402716	3000442	82	93.5	175.5	29.25	78.30	39.15	68.40
1134301402714	3000442	91.5	90	181.5	30.25	76.20	38.10	68.35
1134301402705	3000442	88	85	173	28.83	66.20	33.10	61.93
1134301402807	3000443	110.5	96.5	207	34.50	80.00	40.00	74.50
1134301402818	3000443	112	101.5	213.5	35.58	77.80	38.90	74.48
1134301402824	3000443	113.5	92	205.5	34.25	缺考		
1134301403114	3000444	118	99.5	217.5	36.25	80.40	40.20	76.45
1134301403406	3000444	109	98	207	34.50	83.60	41.80	76.30
1134301403027	3000444	105.5	97.5	203	33.83	83.70	41.85	75.68
1134301403221	3000444	100	94.5	194.5	32.42	79.90	39.95	72.37
1134301403101	3000444	104	89	193	32.17	78.80	39.40	71.57
1134301403506	3000444	98.5	93.5	192	32.00	78.30	39.15	71.15
1134301403017	3000444	102	94	196	32.67	76.90	38.45	71.12
1134301403330	3000444	103.5	86	189.5	31.58	78.60	39.30	70.88
1134301403501	3000444	112	79.5	191.5	31.92	75.60	37.80	69.72
1134301403511	3000444	105.5	83.5	189	31.50	72.20	36.10	67.60
1134301402910	3000444	104.5	86	190.5	31.75	缺考		
1134301403201	3000444	87.5	102.5	190	31.67	缺考		
1134301403530	3000445	99.5	105.5	205	34.17	81.40	40.70	74.87
1134301403514	3000445	94.5	108.5	203	33.83	81.40	40.70	74.53
1134301403611	3000445	101	103	204	34.00	80.60	40.30	74.30
1134301403701	3000445	99	92.5	191.5	31.92	77.40	38.70	70.62
1134301403521	3000445	83	100	183	30.50	79.50	39.75	70.25
1134301403527	3000445	98	97.5	195.5	32.58	74.50	37.25	69.83
1134301403613	3000445	90.5	92.5	183	30.50	77.70	38.85	69.35
1134301403513	3000445	79.5	99	178.5	29.75	77.40	38.70	68.45
1134301403602	3000445	81.5	87.5	169	28.17	缺考		
1134301403720	3000446	85	97	182	30.33	81.00	40.50	70.83
1134301403810	3000446	98	90.5	188.5	31.42	77.20	38.60	70.02
1134301403729	3000446	101.5	77	178.5	29.75	75.20	37.60	67.35
1134301403717	3000446	99.5	80	179.5	29.92	74.80	37.40	67.32
1134301403716	3000446	85	87	172	28.67	75.80	37.90	66.57
1134301403805	3000446	90	82.5	172.5	28.75	缺考		
1134301403902	3000447	112.5	91.5	204	34.00	79.60	39.80	73.80
1134301403826	3000447	89.5	103.5	193	32.17	76.00	38.00	70.17
1134301403814	3000447	106.5	79.5	186	31.00	缺考		
1134301404003	3000448	108.5	102.5	211	35.17	82.20	41.10	76.27
1134301404010	3000448	90.5	102.5	193	32.17	81.40	40.70	72.87
1134301403923	3000448	97.5	98	195.5	32.58	73.40	36.70	69.28
1134301404128	3000449	117	104.5	221.5	36.92	82.80	41.40	78.32

2023年度省水利厅直属事业单位招聘考试最终成绩及排名情况（第一批）

准考证号	岗位代码	职测成绩	综合成绩	笔试成绩	笔试加权	面试成绩	面试加权	总成绩
1134301404123	3000449	116.5	101	217.5	36.25	82.20	41.10	77.35
1134301404130	3000449	107	109	216	36.00	81.60	40.80	76.80
1134301404220	3000449	113	100	213	35.50	81.20	40.60	76.10
1134301404028	3000449	98	111.5	209.5	34.92	80.40	40.20	75.12
1134301404022	3000449	109	98	207	34.50	缺考		
1134301404405	3000450	120	101	221	36.83	82.70	41.35	78.18
1134301404323	3000450	96.5	103	199.5	33.25	77.50	38.75	72.00
1134301404315	3000450	108	91.5	199.5	33.25	76.50	38.25	71.50
1134301404420	3000450	118.5	85	203.5	33.92	71.80	35.90	69.82
1134301404523	3000451	107.5	108.5	216	36.00	76.90	38.45	74.45
1134301404424	3000451	107.5	90.5	198	33.00	79.50	39.75	72.75
1134301404514	3000451	101	98	199	33.17	76.90	38.45	71.62
1134301404522	3000451	97.5	100.5	198	33.00	76.30	38.15	71.15
1134301404625	3000452	116	91.5	207.5	34.58	75.80	37.90	72.48
1134301404612	3000452	101.5	98.5	200	33.33	77.10	38.55	71.88
1134301404624	3000452	98.5	100.5	199	33.17	76.90	38.45	71.62
1134301404902	3000453	109.5	94.5	204	34.00	79.00	39.50	73.50
1134301404930	3000453	103	94	197	32.83	79.00	39.50	72.33
1134301404810	3000453	106.5	93.5	200	33.33	75.40	37.70	71.03
3134302903207	3000483	102.5	96	198.5	33.08	78.10	39.05	72.13
3134302903205	3000483	107.5	85	192.5	32.08	75.50	37.75	69.83
3134302903211	3000483	99	97	196	32.67	缺考		
1134301406227	3000484	105.5	108.5	214	35.67	78.00	39.00	74.67
1134301406311	3000484	116	101.5	217.5	36.25	74.60	37.30	73.55
1134301406319	3000484	118	88	206	34.33	72.00	36.00	70.33
3134302903220	3000485	99.5	94	193.5	32.25	81.10	40.55	72.80
3134302903301	3000485	101.5	93	194.5	32.42	77.10	38.55	70.97
3134302903308	3000485	87.5	95	182.5	30.42	79.20	39.60	70.02
3134302903328	3000486	98	86	184	30.67	79.40	39.70	70.37
3134302903316	3000486	91.5	89.5	181	30.17	77.40	38.70	68.87
3134302903410	3000486	87	90.5	177.5	29.58	77.10	38.55	68.13
3134302903422	3000486	79	98.5	177.5	29.58	77.00	38.50	68.08
3134302903426	3000487	101.5	84	185.5	30.92	75.00	37.50	68.42
3134302903423	3000487	86	88	174	29.00	78.40	39.20	68.20
3134302903504	3000487	94	82	176	29.33	75.00	37.50	66.83
3134302903525	3000488	96.5	92.5	189	31.50	80.20	40.10	71.60
3134302903614	3000488	85.5	97	182.5	30.42	79.00	39.50	69.92
3134302903601	3000488	95.5	85	180.5	30.08	70.00	35.00	65.08
1134301406329	3000489	93.5	104	197.5	32.92	81.60	40.80	73.72
1134301406430	3000489	102	97	199	33.17	80.60	40.30	73.47
1134301406323	3000489	104.5	94	198.5	33.08	77.80	38.90	71.98
3134302903617	3000490	110	107	217	36.17	78.60	39.30	75.47
3134302903711	3000490	99.5	94.5	194	32.33	82.80	41.40	73.73
3134302903708	3000490	90	105.5	195.5	32.58	79.40	39.70	72.28
3134302903730	3000491	91.5	94.5	186	31.00	79.80	39.90	70.90
3134303000110	3000492	93	82	175	29.17	76.40	38.20	67.37
3134303000107	3000492	83.5	75	158.5	26.42	71.40	35.70	62.12
3134303000117	3000492	72	96.5	168.5	28.08	68.00	34.00	62.08
1134301406618	3000493	97	106.5	203.5	33.92	80.00	40.00	73.92
1134301406601	3000493	113.5	91.5	205	34.17	78.60	39.30	73.47
1134301406620	3000493	106	97.5	203.5	33.92	缺考		
3134303000120	3000494	89.5	83.5	173	28.83	76.40	38.20	67.03
3134303000118	3000494	80	85	165	27.50	75.00	37.50	65.00
3134303000128	3000495	79	92.5	171.5	28.58	76.80	38.40	66.98
3134303000127	3000495	92.5	81	173.5	28.92	70.40	35.20	64.12
3134303000206	3000496	90	76	166	27.67	76.00	38.00	65.67
3134303000210	3000497	95.5	81.5	177	29.50	79.40	39.70	69.20
3134303000212	3000497	85.5	72.5	158	26.33	缺考		
3134303000214	3000497	73.5	80.5	154	25.67	缺考		

2023年度省水利厅直属事业单位招聘考试最终成绩及排名情况（第一批）

准考证号	岗位代码	职测成绩	综合成绩	笔试成绩	笔试加权	面试成绩	面试加权	总成绩
3134303000218	3000498	90	87.5	177.5	29.58	78.00	39.00	68.58
3134303000215	3000498	102.5	89	191.5	31.92	缺考		
3134303000217	3000498	80	90.5	170.5	28.42	缺考		
3134303000427	3000499	111.5	95.5	207	34.50	76.80	38.40	72.90
3134303000404	3000499	99.5	101	200.5	33.42	77.80	38.90	72.32
3134303000426	3000499	104	99	203	33.83	74.30	37.15	70.98
1134301406628	3000500	88	109	197	32.83	80.80	40.40	73.23
1134301406719	3000500	107	97.5	204.5	34.08	77.10	38.55	72.63
1134301406704	3000500	102.5	98	200.5	33.42	74.50	37.25	70.67
1134301406817	3000501	120	105	225	37.50	81.00	40.50	78.00
1134301406810	3000501	105.5	107	212.5	35.42	81.60	40.80	76.22
1134301406730	3000501	109	96.5	205.5	34.25	72.70	36.35	70.60
3134303000521	3000502	113	111.5	224.5	37.42	79.10	39.55	76.97
3134303000529	3000502	99.5	101.5	201	33.50	73.40	36.70	70.20
3134303000607	3000502	105	104.5	209.5	34.92	52.80	26.40	61.32
1134301900217	3000503	102.5	95	197.5	32.92	81.50	40.75	73.67
1134301900114	3000503	109.5	90.5	200	33.33	77.70	38.85	72.18
1134301900206	3000503	100	98.5	198.5	33.08	73.90	36.95	70.03
1134301900226	3000504	97.5	100.5	198	33.00	81.60	40.80	73.80
1134301900309	3000504	88.5	100.5	189	31.50	75.60	37.80	69.30
1134301900228	3000504	86	95.5	181.5	30.25	缺考		
3134303000903	3000505	100	101.5	201.5	33.58	81.80	40.90	74.48
3134303000928	3000505	96	105	201	33.50	71.20	35.60	69.10
3134303000917	3000505	106.5	100.5	207	34.50	缺考		
2134300504027	3000506	111.5	99	210.5	35.08	81.00	40.50	75.58
2134300504020	3000506	103.5	106.5	210	35.00	77.40	38.70	73.70
2134300503820	3000506	117.5	95	212.5	35.42	缺考		
3134303001102	3000507	96.5	97	193.5	32.25	78.60	39.30	71.55
3134303001101	3000507	92	99	191	31.83	79.20	39.60	71.43